

Business Message Standard (BMS)

for

Align_Item_Authorisation

(Process/Sub-process/Industry and/or Product/Geopolitical)

BRG: Align

BMS Release: 2.1

Version: __0.0.4__

(r stands for revision number of a version)

Date: 17.07.2006

(dd.mm.ccy example 27.10.2004)



Change Request Reference

Refer to Change Request (CR) Number(s):	
CR Submitter(s):	
Date of CR Submission to GSMP:	

Business Requirements Document (BRAD) Reference

BRAD Title: BRAD Align Item Authorisation
BRAD Date: 01.11.2005
BRAD Version: 0.0.2

BRAD Title:
BRAD Date:
BRAD Version:

Document Summary

Document Title:	BMS Align_Item_Authorisation
Document Version	0.0.4
Owner:	GDSN Task Group
Status:	(Check one box) <input type="checkbox"/> DRAFT <input checked="" type="checkbox"/> Approved
BMS Template Version:	0.5
Targeted BMS Publication Version	2.1

Document Change History

Note: During development include revisions in history. Upon Approval, eliminate revisions and include only delta from previous version.

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
03.11.2005	0.0.1	Eric Kauz	Initial Draft		
26.11.2005	0.0.2	Eric Kauz	Public Review comments	<ul style="list-style-type: none"> • Authorise and deauthorise dates made a choice in the Catalogue Item Authorisation document. • Added the following rule to BSD and BRAD. 	

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
				<p>"ADD and CHANGE_BY_REFRESH are the only Document Commands that are valid for an Item Authorisation/Deauthorisation."</p> <ul style="list-style-type: none"> • Added relation to catalogue Item Reference to reflect the item sent on the authorisation. • Added relation to catalogue Item Authorisation to reflect the item sent on the authorisation. • Added correct action diagram for UC-1. • Added definitions for all attributes and relations with named roles. • Added importer to the parties interested in the document. • Added a rule that the item authorisation message response is required. 	
01.12.2005	0.0.3	Eric Kauz	Peer Review	<ul style="list-style-type: none"> • Added role name for association between CatalogueItemAuthorisationResponse and EntityIdentification. • Changed role name CatalogueItemAuthorisation and EntityIdentification. 	

Date of Change	Version	Changed By	Reason for Change	Summary of Change	Model Build #
				<p>tion to CatalogueItemAuthorisationResponseIdentification.</p> <ul style="list-style-type: none"> Updated GDD Reports to include references to Document. 	
13.01.2005	0.0.4	Eric Kauz	Comments Based On Review of TSD	<ul style="list-style-type: none"> Added flexibility to authorize multiple items at a single location or one item at multiple locations. Eliminated reference to entity-identification on response message for originating Authorisation Message. Added rules and alternative scenarios to authorization and authorisation response Use Cases. 	

Business Message Standard

Table of contents

Chapter	Page
1 Business Solution	1
1.1 Business Domain View.....	1
1.1.1 Problem Statement / Business Need.....	1
1.1.2 Objective.....	2
1.1.3 Audience.....	2
1.1.4 Artefacts	2
1.1.5 References	2
1.1.6 Acknowledgements	3
1.1.6.1 BRG Members.....	3
1.1.6.2 ITRG Members	3
1.1.6.3 Task/Project Group Participants (<i>where applicable</i>)	3
1.1.6.4 Design Team Members	3
1.2 Business Context	4
1.3 Additional Technical Requirements Analysis	4
1.3.1 Technical Requirements (optional).....	4
1.4 Business Transaction View:	5
1.4.1 Business Transaction Use Case Diagram:.....	5
1.4.2 Use Case Description.....	5
1.4.3 Business Transaction Activity Diagram – Item Authorisation	8
1.4.4 Use Case Diagram for Item De-authorisation.....	9
1.4.5 Use Case Definition Item De-authorisation	9
1.4.6 Use Case Scenario – Item (De-) Authorisation Response	13
1.4.7 Use Case Definition Item (De-) Authorisation Response	13
1.4.8 Activity Diagram Item (De-) Authorisation Response	15
1.5 Information Model (including GDD Report)	16
1.5.1 Data Description:	16
1.5.2 GDD Report :	19
1.5.3 Class Diagrams	24
1.5.3.1 Catalogue Item Authorisation	24
1.5.3.2 Catalogue Item Authorisation Response	25
1.5.3.3 Party In Role.....	26
1.5.3.4 Multiple and Single Item Authorisation	26

Business Message Standard

Table of contents

1.5.4	Code Lists.....	27
1.6	Business Document Example	28
1.7	Implementation Considerations.....	28
1.7.1	Use of Catalogue Item Authorisation for Store Openings and New Item Introductions	28
1.7.2	Use of Catalogue Item Authorisation Response for Store Openings and New Item Introductions.....	28
1.7.3	Reference between Catalogue Item Authorisation Response and the Catalogue Item Authorisation	28
1.8	Testing.....	29
1.8.1	Pass / Fail Criteria	29
1.8.2	Sample Data.....	29
1.9	Appendices.....	32
1.10	Summary of Changes.....	32
2	Technical Solution Design.....	33

1 Business Solution

1.1 Business Domain View

1.1.1 Problem Statement / Business Need


In order to realise supply chain efficiencies and reduce back office inefficiencies (discrepancies) within the DSD business model, it is necessary to develop a process and transaction(s) that will facilitate the electronic communication of item authorisation (including acceptance and rejection) between trading partners. The current Catalogue Item Notification (CIN) message, as defined in GDSN, facilitates the process of item synchronisation but the acceptance of the notification message (Catalogue Item Confirmation – CIC) is not an acceptance to sell an item within the store. Currently, manual processes link items to stores and distributors and the CIN message does not facilitate this link.

The GCI DSD defines Item Authorisation as:

The act of granting permission to sell (or deliver) an item at a specific location or groups of locations where the authorisation could be triggered by either trading partner depending on the buying and selling relationship. This process will facilitate the linkage of who can deliver a product to a store and who will be paid for the product.

This Item Authorisation process can be used either in the GDSN or in a Peer to Peer network. The adoption of this Item Authorisation process is optional. It will identify items the trading partners desire to conduct commerce at any level in a retailer's hierarchy (corporate or store). The "players" that may engage in the Item Authorisation process may be: suppliers and retailers, brand owners, franchise owners and distributors, etc.

An example of how the item authorisation message relates to the item synchronisation message is shown below:



1.1.2 Objective

To supply the detail design of the (specific) business transaction needed to meet the requirements of the referenced BRAD. This includes

- the documentation of item authorisation process and choreography
- the development of all messages required for item authorisation.

1.1.3 Audience

All manufacturers, retailers, distributors and importers of warehouse or direct store delivery (DSD) distributed items could utilise this Item Authorisation (De-authorisation) Process standard as it allows trading partners to distinguish the traded items among various distribution and sales channels (warehouse, 2-tier or 3-tier) with retailers. The process and the defined messages can be utilised by the identified parties within and outside the GDSN network.

1.1.4 Artefacts

Not Applicable

1.1.5 References

Reference Name	Description
{Ref1} BRAD Align Item Authorisation Version 0.0.2	Requirements Documentation for Item Authorisation.

1.1.6 Acknowledgements

1.1.6.1 BRG Members

Function	Name	Company / organisation
BRG Member	Peter Porri	Coca Cola
BRG Member		
BRG Member		

1.1.6.2 ITRG Members

Function	Name	Company / organisation
ITRG Chair		
ITRG Member		
ITRG Member		
ITRG Member		

1.1.6.3 Task/Project Group Participants (*where applicable*)

Function	Name	Company / organisation
Participant	Deanne Eskridge	7-11
Participant	Talvis Hilley	Ahold
Participant	Rich Reinwart	Anheuser-Busch
Participant	Rob Johnson	Cadbury Schweppes
Participant	Ann Dozier	Coca Cola
Participant	Rebecca Quigley	Coca-Cola Bottlers
Participant	Rich Welling	Dean Foods
Participant	Carolyn Hager	Food Lion
Participant	Gina Tomassi	Pepsi Co.
Participant	Susan Moore	Safeway
Participant	Mark Ingram	Sara Lee Bakery Group
Participant	Steve Benson	Target
Participant	Carolyn Weyrich	Transora
Participant	Bruce Hawkins	Wal*Mart
Participant	Mahesh Iyer	WWRE

1.1.6.4 Design Team Members

Function	Name	Organisation
Modeller	Eric Kauz	GS1
XML Technical Designer	Dipan Anarkat	GS1
EANCOM Technical Designer		
Peer Reviewer	John Ryu	GS1

Business Solution Design

1.2 Business Context

Context Category	Value(s)
Industry	All
Geopolitical	All
Product	All
Process	Align_GDSN
System Capabilities	EAN.UCC
Official Constraints	None


1.3 Additional Technical Requirements Analysis

1.3.1 Technical Requirements (optional)

Not Applicable

1.4 Business Transaction View:

1.4.1 Business Transaction Use Case Diagram:



1.4.2 Use Case Description

Use Case ID	UC-1
Use Case Name	Item Authorisation
Use Case Description	<p>The act of granting permission to sell (or deliver) one or many items at a specific location or groups of locations, where the authorisation could be triggered by either trading partner depending on the buying and selling relationship. This process will facilitate the linkage of who can deliver a product to a store and who will be paid for the product.</p> <p>This use case supports the following scenarios:</p> <ul style="list-style-type: none"> • The distributor of a product is changing in one to many stores or a new store is opening and an authorisation of product must occur. • Trading partner wants to introduce a new item and phase it in to all locations based on a rollout schedule. Product may or may not be in all locations at same point in time. Product is manufactured by one to many suppliers. • Item is authorised at a store within a store. Payment for product may originate from different buying departments within retail hierarchy. A GLN may or may not be assigned to the “store within a store”.
Actors (Goal)	IA Initiator (a Trading Partner)


Business Solution Design

	IA Recipient (a Trading Partner)									
Performance Goals	To grant permission to sell (or deliver) one or many items at a specific location or groups of locations.									
Preconditions	<ul style="list-style-type: none"> •ITEM = NOT AUTHORISED or ITEM = DE-AUTHORISED •GDSN: Item Data synchronisation and Party Alignment has been performed. •PEER-TO-PEER: Upfront master data alignment (Trade Item and Party)) has been performed. •GDSN: Trading partner Catalogue Items and GLNs registered; not necessary for peer-to-peer. 									
Post conditions	ITEM = REQUESTED FOR AUTHORISATION									
Scenario	<p><u>New Item Introduction</u></p> <p>Begins when... the IA Initiator (a Trading Partner) identifies the trade item it intends to authorise.</p> <p>Continues with...</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Step #</th> <th style="width: 15%;">Actor</th> <th style="width: 75%;">Activity Step</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>IA Initiator</td> <td>IA Initiator identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.</td> </tr> <tr> <td style="text-align: center;">2</td> <td>IA Initiator</td> <td>IA Initiator sends an Item Authorisation message to the IA Recipients.</td> </tr> </tbody> </table> <p>Ends when... the IA Recipients receive the Item Authorisation message.</p>	Step #	Actor	Activity Step	1	IA Initiator	IA Initiator identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.	2	IA Initiator	IA Initiator sends an Item Authorisation message to the IA Recipients.
Step #	Actor	Activity Step								
1	IA Initiator	IA Initiator identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.								
2	IA Initiator	IA Initiator sends an Item Authorisation message to the IA Recipients.								
Alternative Scenario	<p><u>Store Openings</u></p> <p>Begins when... the IA Initiator (a Trading Partner) identifies the trade items it intends to authorise.</p> <p>Continues with...</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Step #</th> <th style="width: 15%;">Actor</th> <th style="width: 75%;">Activity Step</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>IA Initiator</td> <td>IA Initiator identifies its own source GLN and that of the intended recipient GLN of message.</td> </tr> <tr> <td style="text-align: center;">2</td> <td>IA Initiator</td> <td>IA Initiator sends an Item Authorisation message to the IA Recipient.</td> </tr> </tbody> </table> <p>Ends when... the IA Recipient receives the Item Authorisation message.</p>	Step #	Actor	Activity Step	1	IA Initiator	IA Initiator identifies its own source GLN and that of the intended recipient GLN of message.	2	IA Initiator	IA Initiator sends an Item Authorisation message to the IA Recipient.
Step #	Actor	Activity Step								
1	IA Initiator	IA Initiator identifies its own source GLN and that of the intended recipient GLN of message.								
2	IA Initiator	IA Initiator sends an Item Authorisation message to the IA Recipient.								
Related Requirements	See related data requirements in associated BRAD									
Related Rules	<table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 5%; text-align: center;">1</td> <td>For peer-to-peer: master data alignment (Item and Party) must occur before the Item Authorisation process can be initiated.</td> </tr> <tr> <td style="text-align: center;">2</td> <td>For GDSN: Item Synchronisation and Party Alignment must occur before the Item Authorisation process can be initiated</td> </tr> </tbody> </table>	1	For peer-to-peer: master data alignment (Item and Party) must occur before the Item Authorisation process can be initiated.	2	For GDSN: Item Synchronisation and Party Alignment must occur before the Item Authorisation process can be initiated					
1	For peer-to-peer: master data alignment (Item and Party) must occur before the Item Authorisation process can be initiated.									
2	For GDSN: Item Synchronisation and Party Alignment must occur before the Item Authorisation process can be initiated									


Business Solution Design

	3	The Item Authorisation can be initiated by any trading partner (buyer, seller or third party) involved in the trade of the item.
	4	Any non GLN identifiers for party e.g. Store Number, DUNS or internal identifier need to be communicated through the Additional Party Identifier (optional).
	5	Any non GTIN identifiers for items e.g. UPC, EAN-8 need to be communicated through the Additional Item Identifier (optional).
	6	There is no cross validation between the IA message and the item sync message. There is no impact on the global registry.
	7	ADD and CHANGE_BY_REFRESH are the only Document Commands that are valid for an Item Authorisation/Deauthorisation.
	8	The Item (De-) Authorisation must to be confirmed with a Catalogue Item Authorisation Response.
	9	An item authorization message authorises/de-authorises all items in the message and all items below it in the item hierarchy.

1.4.3 Business Transaction Activity Diagram – Item Authorisation



1.4.4 Use Case Diagram for Item De-authorisation



1.4.5 Use Case Definition Item De-authorisation


Use Case ID	UC-2
Use Case Name	Item De-authorisation
Use Case Description	The act of removing from a GLN the permission to sell (or deliver) one or many items at a specific location or groups of locations, where the item de-authorisation could be triggered by either trading partner depending on the buying and selling relationship. This process will facilitate the unlinking of who can deliver a product to a store or who will be paid for the product.
Actors (Goal)	IDA Initiator (a Trading Partner) IDA Recipient (an IA Initiator or IA Recipient)
Performance Goals	<ul style="list-style-type: none"> A manufacturer or distributor has items authorised in some or all stores, but wants to de-authorise the products in some or all stores. A retailer de-authorises a private label item a supplier manufactures and distributes to a retailer on a store-by-store basis. This can change based on pricing or service levels on a weekly or monthly basis. Multiple manufacturers may distribute the same Trade Item within a retailer's hierarchy.
Preconditions	<ul style="list-style-type: none"> Item Authorisation has occurred, i.e. ITEM = AUTHORISED
Post conditions	ITEM = REQUESTED FOR DE-AUTHORISATION
Scenario	<p>Deauthorisation of Many Items at One Business Location</p> <p>Begins when... an IDA Initiator or IDA Recipient identifies the trade items it intends</p>

	<p>to de-authorise.</p> <p>Continues with...</p> <table border="1"> <thead> <tr> <th data-bbox="558 348 639 411">Step #</th> <th data-bbox="639 348 753 411">Actor</th> <th data-bbox="753 348 1386 411">Activity Step</th> </tr> </thead> <tbody> <tr> <td data-bbox="558 411 639 621">1</td> <td data-bbox="639 411 753 621">IDA Initiator or IDA Recipient(IDA Initiator)</td> <td data-bbox="753 411 1386 621">IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN.</td> </tr> <tr> <td data-bbox="558 621 639 800">2</td> <td data-bbox="639 621 753 800">IDA Initiator or IDA Recipient(IDA Initiator)</td> <td data-bbox="753 621 1386 800">IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipient.</td> </tr> </tbody> </table> <p>Ends when... the IDA Recipient receives the Item De-authorisation message.</p>	Step #	Actor	Activity Step	1	IDA Initiator or IDA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN.	2	IDA Initiator or IDA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipient.
Step #	Actor	Activity Step								
1	IDA Initiator or IDA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN.								
2	IDA Initiator or IDA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipient.								
<p>Alternative Scenario</p>	<p>Deauthorosation of One Item at Many Business Locations</p> <p>Begins when... an IDA Initiator or IDA Recipient identifies the trade item it intends to de-authorise.</p> <p>Continues with...</p> <table border="1"> <thead> <tr> <th data-bbox="558 1073 639 1136">Step #</th> <th data-bbox="639 1073 753 1136">Actor</th> <th data-bbox="753 1073 1386 1136">Activity Step</th> </tr> </thead> <tbody> <tr> <td data-bbox="558 1136 639 1346">1</td> <td data-bbox="639 1136 753 1346">IDA Initiator or IA Recipient(IDA Initiator)</td> <td data-bbox="753 1136 1386 1346">IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.</td> </tr> <tr> <td data-bbox="558 1346 639 1524">2</td> <td data-bbox="639 1346 753 1524">IDA Initiator or IA Recipient(IDA Initiator)</td> <td data-bbox="753 1346 1386 1524">IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipients.</td> </tr> </tbody> </table> <p>Ends when... the IDA Recipients receive the Item De-authorisation message.</p>	Step #	Actor	Activity Step	1	IDA Initiator or IA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.	2	IDA Initiator or IA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipients.
Step #	Actor	Activity Step								
1	IDA Initiator or IA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.								
2	IDA Initiator or IA Recipient(IDA Initiator)	IDA Initiator or IDA Recipient sends an Item De-authorisation message to the IDA Recipients.								
<p>Related Requirements</p>	<p>See related data requirements in associated BRAD</p>									
<p>Related Rules</p>	<table border="1"> <tbody> <tr> <td data-bbox="558 1766 639 1797">1</td> <td data-bbox="639 1766 1386 1797">De-authorisations are limited to the initiator or recipient of the Item Authorisation</td> </tr> <tr> <td data-bbox="558 1797 639 1860">2</td> <td data-bbox="639 1797 1386 1860">Any non GLN identifiers for party e.g. Store Number, DUNS or internal identifier need to be communicated through the Additional Party Identifier (optional).</td> </tr> <tr> <td data-bbox="558 1860 639 1917">3</td> <td data-bbox="639 1860 1386 1917">Any non GTIN identifiers for items e.g. UPC, EAN-8 need to be communicated through the Additional Item Identifier (optional).</td> </tr> </tbody> </table>	1	De-authorisations are limited to the initiator or recipient of the Item Authorisation	2	Any non GLN identifiers for party e.g. Store Number, DUNS or internal identifier need to be communicated through the Additional Party Identifier (optional).	3	Any non GTIN identifiers for items e.g. UPC, EAN-8 need to be communicated through the Additional Item Identifier (optional).			
1	De-authorisations are limited to the initiator or recipient of the Item Authorisation									
2	Any non GLN identifiers for party e.g. Store Number, DUNS or internal identifier need to be communicated through the Additional Party Identifier (optional).									
3	Any non GTIN identifiers for items e.g. UPC, EAN-8 need to be communicated through the Additional Item Identifier (optional).									


Business Solution Design

	4	ADD and CHANGE_BY_REFRESH are the only Document Commands that are valid for an Item Authorisation/Deauthorisation.
	5	The Item (De-) Authorisation must to be confirmed with a Catalogue Item Authorisation Response.
	6	There is no cross validation between the IA message and the item sync message. There is no impact on the global registry.
	7	An item authorization message authorises/de-authorises all items in the message and all items below it in the item hierarchy.

Activity Diagram for Item De-authorisation



1.4.6 Use Case Scenario – Item (De-) Authorisation Response




1.4.7 Use Case Definition Item (De-) Authorisation Response

Use Case ID	UC-3
Use Case Name	Item (De-) Authorisation Response
Use Case Description	The act of accepting or rejecting either an item authorisation or de-authorisation by the message recipient.
Actors (Goal)	IA Recipient (i.e. a Trading Partner) IDA Recipient (i.e. an IA Initiator or an IA Recipient) IA Initiator (i.e. a Trading Partner) IDA Initiator (i.e. an IA Initiator or an IA Recipient)
Performance Goals	To accept or reject Item Authorisation or De-Authorisation.
Preconditions	<ul style="list-style-type: none"> Item Authorisation or Item De-authorisation message has been received, (i.e. ITEM = REQUESTED FOR AUTHORISATION or ITEM = REQUESTED FOR DE-AUTHORISATION). GDSN: Item Data synchronisation and Party Alignment is required. PEER-TO-PEER: Upfront master data alignment (Trade Item and Party)) is required. GDSN: Trading partner Catalogue Items and GLNs registered; not necessary for peer-to-peer.
Post conditions	For Authorisation: ITEM = AUTHORISED For De-Authorisation: ITEM = DE-AUTHORISED
Scenario	<p>Begins when... the IA Recipient or IDA Recipient processes an Item (De-) Authorisation message within their internal systems.</p> <p>Continues with...</p>

Business Solution Design

	Step #	Actor	Activity Step
	1	I(D)A Recipient	I(D)A Recipient identifies its own source GLN and that of the intended recipient GLN or group of GLNs of message.
	2	I(D)A Recipient	I(D)A Recipient accepts or rejects the item authorisation/deauthorisation on the buyer-seller-(distributor)-item level.
	3	I(D)A Recipient	I(D)A Recipient sends an Item (De-) Authorisation Response message to the I(D)A Initiator.
Ends when... the I(D)A Initiator receives the Item (De-) Authorisation Response message.			
Alternative Scenario			
	Step #	Actor	Activity Step
Related Requirements			
Related Rules			
	1		If the Distributor is not present on the Item Authorisation Message, it becomes mandatory on the IA Response.
	2		Only the statuses of Accepted and Rejected can be sent in the Catalogue Item Authorisation Response.
	3		The Item (De-) Authorisation must to be confirmed with a Catalogue Item Authorisation Response.
	4		Any non GLN identifiers for party e.g. Store Number, DUNS or internal identifier need to be communicated through the Additional Party Identifier (optional).
	5		Any non GTIN identifiers for items e.g. UPC, EAN-8 need to be communicated through the Additional Item Identifier (optional).
	6		A recipient must respond to every Item on an Item Authorisation or Item De-Authorisation..
	7		The absence of a response does not mean that the authorization/de-authorisation has been accepted by the recipient.
	8		Response messages must be in the same format as the originating authorisation or deauthorisation.

1.4.8 Activity Diagram Item (De-) Authorisation Response



Business Solution Design

1.5 Information Model (including GDD Report)

1.5.1 Data Description:

Catalogue Item Authorisation

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	RELATED REQUIREMENT
AuthorisationTarget				
			MultipleItemAuthorisation	{Ref1}
			Single Item Authorisation	{Ref1}
CatalogueItemAuthorisation				
		None	Document	{Ref1}
	itemAuthorisationStatusReason			{Ref1}
	itemAuthorisationStatus			{Ref1} 10
		catalogueItemAuthorisationIdentification	EntityIdentification	{Ref1} 15,17
			AuthorisationTarget	
			ItemAuthorisationStatus- DateTime	{Ref1} 11, 12
		brandOwner	PartyIdentification	{Ref1} 14
		distributor	PartyIdentification	{Ref1} 9
		manufacturer	PartyIdentification	{Ref1} 18
		orderFrom	PartyIdentification	{Ref1} 19
		receiver	PartyInRole	{Ref1} 20
		sender	PartyInRole	{Ref1}
ItemAuthorisationStatusDateTime				
	authorisationDateTime		<<Choice>>	{Ref1} 11
	deauthorisationDateTime		<<Choice>>	{Ref1} 12
MultipleItemAuthorisation				
		businessLocation	PartyInRole	{Ref1} 20

Business Solution Design

			CatalogueItemReference	{Ref1} 12
PartyInRole				
	partyRole			{Ref1}
			PartyIdentification	{Ref1}
SingleItemAuthorisation				
		businessLocation	PartyInRole	{Ref1} 20
			CatalogueItemReference	{Ref1} 12

Catalogue Item Authorisation Response

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	RELATED REQUIREMENT
CatalogueItemAuthorisationResponse				
		None	Document	{Ref1}
		catalogueItemAuthorisationResponseIdentification	EntityIdentification	{Ref1} 2
			AuthorisationResponse	{Ref1} 4,5
		distributor	PartyIdentification	{Ref1} 9
		receiver	PartyInRole	{Ref1}
		sender	PartyInRole	{Ref1}
AuthorisationResponse				
	responseStatus			{Ref1} 5
			SingleItemAuthorisation	{Ref1} 5
			MultipleItemAuthorisation	{Ref1} 5
MultipleItemAuthorisation				
		businessLocation	PartyInRole	{Ref1} 20
			CatalogueItemReference	{Ref1} 12
PartyInRole				
	partyRole			{Ref1}
			PartyIdentification	{Ref1}

Business Solution Design

SingleItemAuthorisation				
		businessLocation	PartyInRole	{Ref1} 20
			CatalogueItemReference	{Ref1} 12

Business Solution Design

1.5.2 GDD Report :

Catalogue Item Authorisation

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	Official Dictionary Entry Name	Definition	Multiplicity
AuthorisationTarget				Authorisation Target.Details	The trade items being authorised or deauthorised at one or many business locations.	
			MultipleItemAuthorisation	Authorisation Target. Choice_Association. Multiple Item Authorisation	Not Available.	1..1
			Single Item Authorisation	Authorisation Target. Choice_Association. Single Item Authorisation	Not Available.	1..1
CatalogueItemAuthorisation				Catalogue Item Authorisation.Detail	A document used to authorise or deauthorise an item for sale to one or many business locations.	
		None	Document	Catalogue Item Authorisation. Inheritance_Association. Electronic_Document	Not Available	1..1
	ItemAuthorisation-StatusReason			Catalogue Item Authorisation. Item Authorisation Status Reason.Text	Additional details associated with the item authorisation status.	0..1
	ItemAuthorisationStatus			Catalogue Item Authorisation. Item Authorisation Status.Code	Code identifying the authorisation status within a specific location. Item Authorisation Statuses are Authorise and Deauthorise.	1..1
		catalogueItemAuthorisationIdentification	EntityIdentification	Catalogue Item Authorisation. Association. Entity Identification	Unique message identifier for the Catalogue Item Authorisation message.	1..1

Business Solution Design

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	Official Dictionary Entry Name	Definition	Multiplicity
			AuthorisationTarget	Catalogue Item Authorisation.Association. Authorisation Target	Not available.	1..1
			ItemAuthorisationStatus-DateTime	Catalogue Item Authorisation.Association. Item Authorisation Date Time	Not available.	1..1
		brandOwner	PartyIdentification	Catalogue Item Authorisation. Brand Owner. Party Identification	Unique location number identifying the brand owner. May or may not be the same entity as the information provider, which actually enters and maintains data in data pools.	0..1
		distributor	PartyIdentification	Catalogue Item Authorisation. Distributor. Party Identification	An entity which purchases and takes title to goods which are then resold / redistributed elsewhere.	0..1
		manufacturer	PartyIdentification	Catalogue Item Authorisation. Manufacturer. Party Identification	The party who manufactures the item.	0..1
		orderFrom	PartyIdentification	Catalogue Item Authorisation. Order From. Party Identification	The location that the item can be ordered from.	0..1
		receiver	PartyInRole	Catalogue Item Authorisation. Receiver. Party In Role	Party who receives the item authorisation message.	1..1
		sender	PartyInRole	Catalogue Item Authorisation.Sender. Party In Role	Party who sends the item authorisation message.	1..1
ItemAuthorisation-StatusDateTime				Item Authorisation Status Date Time	Not Available	
	authorisationDateTime		<<Choice>>	Item Authorisation Status Date Time. Authorisation Date Time.Date Time	First day on which the item will be authorised for sale to a location.	1..1
	deauthorisation-DateTime		<<Choice>>	Item Authorisation Status Date Time. Deauthorisation Date Time.Date Time	Last date on which the item will be authorised for sale to a location.	1..1
MultipleItemAuthorisation				Multiple Item Authorisation.Detail	The authorisation of a multiple items at single business	

Business Solution Design

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	Official Dictionary Entry Name	Definition	Multiplicity
					location.	
		businessLocation	PartyInRole	Multiple Item Authorisation. Business Location.Party In Role	Unique location number identifying the business to which the item will be authorised for sale. Examples of Business Locations include stores and distribution centers.	1..1
			CatalogueItemReference	Multiple Item Authorisation. Business Location.Party In Role	Not Available	1..*
PartyInRole				Party In Role. Detail	The identification of a party in a specific party role.	
	partyRole			Party In Role.Party Role.Code	Not Available	0..1
			PartyIdentification	Party In Role.Association.Party Identification	Not Available	1..1
SingleItemAuthorisation				Single Item Authorisation.Detail	The authorisation of a single item at multiple business locations.	
		businessLocation	PartyInRole	Single Item Authorisation. Business Location.Party In Role	Unique location number identifying the business to which the item will be authorised for sale. Examples of Business Locations include stores and distribution centers.	1..*
			CatalogueItemReference	Single Item Authorisation. Business Location.Party In Role	Not Available	1..1

Business Solution Design

Catalogue Item Authorisation Response

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	Official Dictionary Entry Name	Definition	Multiplicity
CatalogueItemAuthorisationResponse				Catalogue Item Authorisation Response.Details	Response Document used to Accept or Reject a Catalogue Item Authorisation.	
		None	Document	Catalogue Item Authorisation Response. Inheritance_ Association. Electronic_ Document	Not Available	1..1
		catalogueItemAuthorisationResponseIdentification	EntityIdentification	Catalogue Item Authorisation Response.Catalogue Item Authorisation Response Identification.Entity Identification	Not Available	1..1
			AuthorisationResponse	Catalogue Item Authorisation Response. Association.Authorisation Response	An acceptance or rejection of a Catalogue Item Authorisation at the business location level.	1..*
		distributor	PartyIdentification	Catalogue Item Authorisation Response. Distributor. Party Identification	An entity which purchases and takes title to goods which are then resold / redistributed elsewhere.	0..1
		receiver	PartyInRole	Catalogue Item Authorisation Response. Receiver. Party In Role	Party who sends the item authorisation message.	1..1
		sender	PartyInRole	Catalogue Item Authorisation Response. Sender. Party In Role	Party who sends the item authorisation message.	1..1
AuthorisationResponse				Authorisation Response.Detail	Not Available	
	responseStatus			Authorisation Response.Response Status.Code	The 3 states are: Accepted, Modified, Rejected.	1..1
			SingleItemAuthorisation	Authorisation Response.Choice_Association.Single Item Authorisation	Not Available	1..1
			MultipleItemAuthorisation	Authorisation Response.Choice_Association. Multiple	Not available.	1..1


Business Solution Design

CLASS (ABIE)	ATTRIBUTE (BBIE)	ASSOCIATION (ASBIE)	SECONDARY CLASS	Official Dictionary Entry Name	Definition	Multiplicity
				Item Authorisation		
MultipleItemAu- thorisation				Multiple Item Authorisation.Detail	The authorisation of a multi- ple items at single business location.	
		businessLocation	PartyInRole	Multiple Item Authorisation. Busi- ness Location.Party In Role	Unique location number identifying the business to which the item will be author- ised for sale. Examples of Business Locations include stores and distribution cen- ters.	1..1
			CatalogueItemReference	Multiple Item Authorisation. Busi- ness Location.Party In Role	Not Available	1..*
PartyInRole				Party In Role. Detail	The identification of a party in a specific party role.	
	partyRole			Party In Role.Party Role.Code	Not Available	0..1
			PartyIdentification	Party In Role.Association.Party Identification	Not Available	1..1
SingleItemAuthori- sation				Single Item Authorisation.Detail	The authorisation of a single item at multiple business locations.	
		businessLocation	PartyInRole	Single Item Authorisation. Busi- ness Location.Party In Role	Unique location number identifying the business to which the item will be author- ised for sale. Examples of Business Locations include stores and distribution cen- ters.	1..*
			CatalogueItemReference	Single Item Authorisation. Busi- ness Location.Party In Role	Not Available	1..1


Business Solution Design

1.5.3 Class Diagrams

1.5.3.1 Catalogue Item Authorisation




1.5.3.2 Catalogue Item Authorisation Response





Business Solution Design

1.5.3.3 Party In Role



1.5.3.4 Multiple and Single Item Authorisation



Business Solution Design

1.5.4 Code Lists

(Output from GDD should be pasted in this section.)

Code List Name	Code List Description
Item Authorisation Status Code List	Code list identifying the authorisation status within a specific location.
Code Name	Code Description
AUTHORISE	Item is authorised for sale to a location.
DEAUTHORISE	Item is deauthorised for sale to a location.

1.6 Business Document Example

1.7 Implementation Considerations

1.7.1 Use of Catalogue Item Authorisation for Store Openings and New Item Introductions

The Catalogue Item Authorisation Message supports both the store opening and new item introduction scenarios by allowing the sending of either many trade items to a single business location or one trade item to a multiple locations. In the message, these two scenarios are implemented as a choice. In the case of a store opening, it is recommended to use the “MultipleItemAuthorisation” construct. For the new item scenario, it is recommended to use the “SingleItemAuthorisation” construct (see class diagram). Note: the structure by design does not support multiple items to multiple business locations.

1.7.2 Use of Catalogue Item Authorisation Response for Store Openings and New Item Introductions

As a rule, the Catalogue Item Authorisation Response should resemble the structure of the originating Catalogue Item Authorisation. For example, if a Catalogue Item Authorisation was sent for one trade item to multiple business locations, the response should only contain one trade item. If a Catalogue Item Authorisation was sent for many trade items to a single business location, the response should only contain one business location. The Catalogue Item Authorisation Response supports both scenarios through the AuthorisationResponse class.

1.7.3 Reference between Catalogue Item Authorisation Response and the Catalogue Item Authorisation

During requirements gathering, it was decided that Item Authorisations are performed for individual items and there is no blanket acceptance or rejection of an entire Item Authorisation message. Because of this decision, there is no reference to the message identification of the originating Catalogue Item Authorisation in the Catalogue Item Authorisation Response.

Business Solution Design

1.8 Testing

1.8.1 Pass / Fail Criteria

Not Applicable

1.8.2 Sample Data

Catalogue Item Authorisation

Single GTIN Multiple GLNs:

Attribute	Value
itemAuthorisationStatus	AUTHORISED
authorisationDateTime	2004-01-10T12:00:01.000
sender	
partyRole	SELLER
Party Identification	0012345000359
brandOwner	
distributor	0012345000555
manufacturer	0012345000111
orderFrom	0012345000222
receiver	
partyRole	BUYER
Party Identification	0012345005459
CatalogueItemReference	
gTIN	14141414141414
dataSource	11111111111111
targetMarketCountryCode	US
businessLocation	
partyRole	WAREHOUSE_AND_OR_DEPOT
Party Identification	0013345000333
businessLocation	
partyRole	WAREHOUSE_AND_OR_DEPOT
Party Identification	0012345000339

Single GLN, Multiple GTINs:

Attribute	Value
itemAuthorisationStatus	AUTHORISED
authorisationDateTime	2004-01-10T12:00:01.000
sender	
partyRole	SELLER
Party Identification	0012345000359
brandOwner	
distributor	0012345000555
manufacturer	0012345000111
orderFrom	0012345000222
receiver	
partyRole	BUYER
Party Identification	0012345005459
businessLocation	
partyRole	WAREHOUSE_AND_OR_DEPOT
Party Identification	0013345000333

Business Solution Design

CatalogueItemReference	
gTIN	14141414343434
dataSource	11111111111111
targetMarketCountryCode	US
CatalogueItemReference	
gTIN	14141414141414
dataSource	11111111111111
targetMarketCountryCode	US

Business Solution Design

Catalogue Item Authorisation Response Single GTIN Multiple GLNs:

Attribute	Value
sender	
partyRole	BUYER
Party Identification	0012345005459
distributor	0012345000555
receiver	
partyRole	SELLER
Party Identification	0012345000359
businessLocationResponse	
PartyIdentification	0012345000339
partyRole	STORE
responseStatus	ACCEPTED
CatalogueItemReference	
gTIN	14141414141414
dataSource	11111111111111
targetMarketCountryCode	US
businessLocation	
PartyIdentification	WAREHOUSE_AND_OR_DEPOT
partyRole	0013345000333
businessLocation	
PartyIdentification	WAREHOUSE_AND_OR_DEPOT
partyRole	0012345000339

Single GLN, Multiple GTINs:

Attribute	Value
sender	
partyRole	BUYER
Party Identification	0012345005459
distributor	0012345000555
receiver	
partyRole	SELLER
Party Identification	0012345000359
businessLocationResponse	
PartyIdentification	0012345000339
partyRole	STORE
responseStatus	ACCEPTED
businessLocation	
PartyIdentification	WAREHOUSE_AND_OR_DEPOT
partyRole	0013345000333
CatalogueItemReference	
gTIN	14141414343434
dataSource	11111111111111
targetMarketCountryCode	US
CatalogueItemReference	
gTIN	14141414141414
dataSource	11111111111111
targetMarketCountryCode	US

Business Solution Design

1.9 Appendices

1.10 Summary of Changes

Change	BMS Ver- sion	Associated CR Number
<ul style="list-style-type: none">Initial creation		

2 Technical Solution Design

This section provides the specifications for the standards content ITRG approves. It is called the Technical Solution Design (TSD).

The Technical Solution Design contains:

- TSD Zip file Table of Contents
- Business Message Standard Section Technical Level GDD Report
- XSD (XML Schema Documents)
- XML Instance File and HTML Form View (XML and HTML files containing sample data specified in Section 1.6)

In the process of approving the Technical Solution Design, the ITRG will be provided the following artefacts:

- Any relevant Business Requirements Analysis Document (BRAD)
- Any relevant Business Requirements Document (BRD)
- Section 1 of Business Message Standard (Business Solution Design)
- Comment Resolution Template from Technical Public Review
- XML Test Report
- Change Request
- Other informative or reference documents